



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—										
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Quebec.....	Dec. 16	78,200								2				
Do.....	Jan. 6									1				
St. Petersburg.....	Dec. 16	1,907,708	728	134				1		29	15	9	27	4
San Luis Potosi.....	Nov. 18	82,943	45	3										
Do.....	Nov. 25		47	4						1				1
Santa Cruz de Tenerife.....	Dec. 23	46,000	21	2				10						
Santiago de Cuba.....	Dec. 30	53,614	18	2						1				
Sarnia.....	Jan. 6	9,936	7							3				
Shanghai.....	Dec. 10	492,000	129	14				1				1		
Singapore.....	Nov. 25	303,328	233	34	1									
Southampton.....	Dec. 30	119,324	27	2						2				1
Stettin.....	Dec. 16	237,000	87	12							1	1		
Swansea.....	Dec. 23	115,100	42									2		
Turin.....	Dec. 17	401,555	121	17									1	
Valencia.....	Dec. 23	240,000	97	3				1						
Vladivostok.....	Oct. 28	84,578	7	3						1	1	1		
Do.....	Nov. 3		11	1						2	2			
Do.....	Nov. 13									2	1	1		1
Winnipeg.....	Dec. 23	151,958	31	1								1		
Do.....	Jan. 6		33	3						1	1	2	2	
Yokkaichi.....	Dec. 2	44,564	13											

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES
(untabulated).

ARGENTINA—*Buenos Aires*.—Month of October, 1911. Population, 1,343,156. Total number of deaths from all causes 2,054, including diphtheria 24, measles 10, scarlet fever 10, smallpox 6, tuberculosis 266, typhoid fever 13.

Rosario.—Month of October, 1911. Population, 207,260. Total number of deaths from all causes 378, including diphtheria 6, measles 3, smallpox 25, tuberculosis 38, typhoid fever 1.

AUSTRALIA—*New Castle*.—Month of October, 1911. Population, 60,500. Total number of deaths from all causes 25, including diphtheria 1, tuberculosis 1.

BRAZIL—*Bahia*.—Month of July, 1911. Population, 292,000. Total number of deaths from all causes 422, including measles 1, plague 1, smallpox 1, tuberculosis 64, typhoid fever 2.

Month of August, 1911. Total number of deaths from all causes 399, including plague 1, tuberculosis 58, typhoid fever 2.

Santos.—Month of October, 1911. Population, 85,000. Total number of deaths from all causes 100, including measles 1, typhoid fever 2.

GREAT BRITAIN.—Week ended December 16, 1911.

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 16.4 per 1,000 of the population, which is estimated at 16,157,797.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 20.9 per 1,000 of the population, which is estimated at 1,149,495. The lowest rate was recorded at Kilkenny, viz, 5, and the highest at Newry, viz, 39.3, per 1,000.

Scotland.—The deaths registered in 8 principal towns correspond to an annual rate of 17.9 per 1,000 of the population, which is estimated at 1,710,291. The lowest rate was recorded at Perth, viz, 7.3, and the highest at Aberdeen, viz, 21.4, per 1,000. The total number of deaths from all causes was 587, including diphtheria 6, measles 32, scarlet fever 4, typhoid fever 1.

MEXICO.—*State of Coahuila*.—Month of October, 1911. Population, 280,899. Total number of deaths from all causes 458, including diphtheria 3, scarlet fever 5, smallpox 16, tuberculosis 30.

SIERRA LEONE.—*Freetown*.—Month of November, 1911. Population 40,000. Total number of deaths from all causes 60. No contagious diseases.

URUGUAY.—*Montevideo*.—Month of October, 1911. Population 321,224. Total number of deaths from all causes 488, including diphtheria 1, scarlet fever 1, smallpox 1, tuberculosis 76, typhoid fever 1.

By authority of the Secretary of the Treasury:

RUPERT BLUE,

Surgeon General,

United States Public Health and Marine-Hospital Service.

THIS PUBLICATION may be procured from the Superintendent of Documents, Government Printing Office Washington, D. C., at 5 cents a copy

Subscription price for the year \$2

